

3	66242	(secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected)	USPAT	2004/05/21 21:40
6	0	<p>NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video)</p> <p>((secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected)) WITH</p> <p>(detect\$4 OR find\$4 OR locat\$4 OR presence)) SAME</p> <p>((secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected))</p> <p>NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video))</p> <p>WITH</p> <p>(determin\$4 OR ascertain\$4 OR find\$4))</p> <p>WITH</p> <p>((transmi\$6 OR rout\$4 OR send\$4 OR forward\$4 OR recipient\$1 OR address\$2 OR client\$1 OR host\$1))</p> <p>AND</p> <p>(control\$4 OR allow\$6 OR govern\$4 OR permi\$6 OR privileg\$4 OR rul\$3 OR use\$1 OR usage\$1)))</p> <p>) AND</p> <p>((certificate\$1 WITH (creator\$1 OR generator\$1 OR origin\$4))</p> <p>WITH</p> <p>((secur\$4 OR encrypt\$4) NEAR3 (level\$1 OR code\$1)))</p>	USPAT	2004/05/21 18:22

7	0	((\secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected) NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video) WITH (detect\$4 OR find\$4 OR locat\$4 OR presence)) SAME (((secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected) NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video)) WITH (determin\$4 OR ascertain\$4 OR find\$4) WITH ((transmi\$6 OR rout\$4 OR send\$4 OR forward\$4 OR recipient\$1 OR address\$2 OR client\$1 OR host\$1) AND (control\$4 OR allow\$6 OR govern\$4 OR permis\$6 OR privileg\$4 OR rul\$3 OR uses\$1 OR usage\$1)))) AND ((certificate\$1 WITH (creator\$1 OR generator\$1 OR origin\$4)) AND ((secur\$4 OR encrypt\$4) NEAR3 (level\$1 OR code\$1)))	USPAT	2004/05/21 18:23
---	---	---	-------	---------------------

5	66	<p>((secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected)</p> <p>NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video)) WITH</p> <p>(detect\$4 OR find\$4 OR locat\$4 OR presence)</p> <p>) SAME</p> <p>((secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected)</p> <p>NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video))</p> <p>WITH</p> <p>(determin\$4 OR ascertain\$4 OR find\$4)</p> <p>WITH</p> <p>((transmi\$6 OR rout\$4 OR send\$4 OR forward\$4 OR recipient\$1 OR address\$2 OR client\$1 OR host\$1))</p> <p>AND</p> <p>(control\$4 OR allow\$6 OR govern\$4 OR permis\$6 OR privileg\$4 OR rul\$3 OR use\$1 OR usage\$1))</p>	USPAT	2004/05/21 18:30
8	143	<p>((secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected)</p> <p>NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video)) WITH</p> <p>(detect\$4 OR find\$4 OR locat\$4 OR presence)</p> <p>) SAME</p> <p>((secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected)</p> <p>NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video))</p> <p>WITH</p> <p>(determin\$4 OR ascertain\$4 OR find\$4)</p> <p>WITH</p> <p>((transmi\$6 OR rout\$4 OR send\$4 OR forward\$4 OR recipient\$1 OR address\$2 OR client\$1 OR host\$1))</p> <p>)</p>	USPAT	2004/05/21 18:31

9	208	<pre>((secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected) NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video)) WITH (detect\$4 OR find\$4 OR locat\$4 OR presence)) SAME (((secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected) NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video)) WITH (determin\$4 OR ascertain\$4 OR find\$4) WITH (control\$4 OR allow\$6 OR govern\$4 OR permi\$6 OR privileg\$4 OR rul\$3 OR use\$1 OR usage\$1))</pre>	USPAT	2004/05/21 18:31
---	-----	---	-------	---------------------

10	64	<pre>((secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected) NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video)) WITH (detect\$4 OR find\$4 OR locat\$4 OR presence)) SAME (((secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected) NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video)) WITH (determin\$4 OR ascertain\$4 OR find\$4) WITH (transmi\$6 OR rout\$4 OR send\$4 OR forward\$4 OR recipient\$1 OR address\$2 OR client\$1 OR host\$1))) SAME (((secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected) NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video)) WITH (determin\$4 OR ascertain\$4 OR find\$4) WITH (control\$4 OR allow\$6 OR govern\$4 OR permi\$6 OR privileg\$4 OR rul\$3 OR use\$1 OR usage\$1))</pre>	USPAT	2004/05/21 18:32
4	6449	<pre>((secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected) NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video)) WITH (detect\$4 OR find\$4 OR locat\$4 OR presence)</pre>	USPAT	2004/05/21 19:11
11	1	<pre>((secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected) NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video)) WITH (detect\$4 OR find\$4 OR locat\$4 OR presence)) AND (6658568.pn.)</pre>	USPAT	2004/05/21 19:13

12	1	<p>((secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected)</p> <p>NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video)) WITH</p> <p>(detect\$4 OR find\$4 OR locat\$4 OR presence)</p> <p>) AND (6658568.pn.) AND (((secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected)</p> <p>NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video))</p> <p>WITH</p> <p>(determin\$4 OR ascertain\$4 OR find\$4)</p> <p>WITH</p> <p>((transmi\$6 OR rout\$4 OR send\$4 OR forward\$4 OR recipient\$1 OR address\$2 OR client\$1 OR host\$1)))</p>	USPAT	2004/05/21 19:14
13	1	<p>((((secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected)</p> <p>NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video)) WITH</p> <p>(detect\$4 OR find\$4 OR locat\$4 OR presence)</p> <p>) AND (6658568.pn.) AND (((secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected)</p> <p>NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video))</p> <p>WITH</p> <p>(determin\$4 OR ascertain\$4 OR find\$4)</p> <p>WITH</p> <p>((transmi\$6 OR rout\$4 OR send\$4 OR forward\$4 OR recipient\$1 OR address\$2 OR client\$1 OR host\$1)))</p> <p>) AND (((secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected)</p> <p>NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video))</p> <p>WITH</p> <p>(determin\$4 OR ascertain\$4 OR find\$4)</p> <p>WITH</p> <p>((control\$4 OR allow\$6 OR govern\$4 OR permis\$6 OR privileg\$4 OR rul\$3 OR use\$1 OR usage\$1)))</p>	USPAT	2004/05/21 19:51

14	296	<p>((secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected)</p> <p>NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video)) WITH</p> <p>(detect\$4 OR find\$4 OR locat\$4 OR presence)</p> <p>) AND ((secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected)</p> <p>NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video)</p> <p>WITH</p> <p>(determin\$4 OR ascertain\$4 OR find\$4)</p> <p>WITH</p> <p>((transmi\$6 OR rout\$4 OR send\$4 OR forward\$4 OR recipient\$1 OR address\$2 OR client\$1 OR host\$1)))</p>	USPAT	2004/05/21 19:52
----	-----	--	-------	---------------------

16	1	<pre>((secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected) NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video)) WITH (detect\$4 OR find\$4 OR locat\$4 OR presence)) AND (((secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected) NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video)) WITH (determin\$4 OR ascertain\$4 OR find\$4) WITH ((transmi\$6 OR rout\$4 OR send\$4 OR forward\$4 OR recipient\$1 OR address\$2 OR client\$1 OR host\$1)))) AND (((secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected) NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video)) WITH (determin\$4 OR ascertain\$4 OR find\$4) WITH ((control\$4 OR allow\$6 OR govern\$4 OR permi\$6 OR privileg\$4 OR rul\$3 OR use\$1 OR usage\$1)))) AND ((certificate\$1 WITH (creator\$1 OR generator\$1 OR origin\$4 OR issu\$4)) WITH ((secur\$4 OR encrypt\$4) NEAR3 (level\$1 OR code\$1)))</pre>	USPAT	2004/05/21 19:55
----	---	---	-------	---------------------

17	1	((secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected) NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video)) WITH (detect\$4 OR find\$4 OR locat\$4 OR presence)) AND (((secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected) NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video)) WITH (determin\$4 OR ascertain\$4 OR find\$4) WITH ((transmi\$6 OR rout\$4 OR send\$4 OR forward\$4 OR recipient\$1 OR address\$2 OR client\$1 OR host\$1)))) AND (((secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected) NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video)) WITH (determin\$4 OR ascertain\$4 OR find\$4) WITH ((control\$4 OR allow\$6 OR govern\$4 OR permi\$6 OR privileg\$4 OR rul\$3 OR use\$1 OR usage\$1)))) AND ((certificate\$1 WITH (creator\$1 OR generator\$1 OR origin\$4 OR issu\$4)) WITH ((secur\$4 OR encrypt\$4) NEAR3 (layer\$1 OR level\$1 OR code\$1)))	USPAT	2004/05/21 19:55
----	---	---	-------	---------------------

15	155	((secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected) NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video)) WITH (detect\$4 OR find\$4 OR locat\$4 OR presence)) AND (((secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected) NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video)) WITH (determin\$4 OR ascertain\$4 OR find\$4) WITH ((transmi\$6 OR rout\$4 OR send\$4 OR forward\$4 OR recipient\$1 OR address\$2 OR client\$1 OR host\$1)))) AND (((secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected) NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video)) WITH (determin\$4 OR ascertain\$4 OR find\$4) WITH ((control\$4 OR allow\$6 OR govern\$4 OR permi\$6 OR privileg\$4 OR rul\$3 OR use\$1 OR usage\$1)))	USPAT	2004/05/21 20:15
18	19433	((secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected) NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video)) WITH (control\$4 OR allow\$6 OR govern\$4 OR permi\$6 OR privileg\$4 OR right\$1 OR rul\$3 OR use\$1 OR usage\$1)	USPAT	2004/05/21 21:09

20	178	<p>((secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected)</p> <p>NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video) WITH</p> <p>(control\$4 OR allow\$6 OR govern\$4 OR permis\$6 OR privileg\$4 OR right\$1 OR rul\$3 OR use\$1 OR usage\$1)</p> <p>) SAME</p> <p>((determin\$4 OR ascertain\$4 OR find\$4))</p> <p>WITH</p> <p>(transmi\$6 OR rout\$4 OR send\$4 OR forward\$4 OR recipient\$1 OR address\$2 OR client\$1 OR host\$1)) SAME</p> <p>((verif\$6 OR check\$4 OR author\$6 OR specif\$4 OR confirm\$6))</p> <p>WITH</p> <p>(transmi\$6 OR rout\$4 OR send\$4 OR forward\$4 OR recipient\$1 OR address\$2 OR client\$1 OR host\$1))</p> <p>((secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected))</p>	USPAT	2004/05/21 20:24
19	686	<p>NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video) WITH</p> <p>(control\$4 OR allow\$6 OR govern\$4 OR permis\$6 OR privileg\$4 OR right\$1 OR rul\$3 OR use\$1 OR usage\$1)</p> <p>) SAME</p> <p>((determin\$4 OR ascertain\$4 OR find\$4))</p> <p>WITH</p> <p>(transmi\$6 OR rout\$4 OR send\$4 OR forward\$4 OR recipient\$1 OR address\$2 OR client\$1 OR host\$1))</p> <p>((secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected))</p>	USPAT	2004/05/21 20:22
22	2	<p>NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video) WITH</p> <p>(control\$4 OR allow\$6 OR govern\$4 OR permis\$6 OR privileg\$4 OR right\$1 OR rul\$3 OR use\$1 OR usage\$1)</p> <p>) WITH</p> <p>((insurance)) AND ((insurance) WITH</p> <p>(depend\$4 OR associat\$4 OR relat\$4))</p> <p>WITH</p> <p>(transmi\$6 OR rout\$4 OR send\$4 OR forward\$4 OR recipient\$1 OR address\$2 OR client\$1 OR host\$1))</p>	USPAT	2004/05/21 21:10

21	20	((secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected) NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video) WITH (control\$4 OR allow\$6 OR govern\$4 OR permis\$6 OR privileg\$4 OR right\$1 OR rul\$3 OR use\$1 OR usage\$1)) WITH (insurance) (((secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected)	USPAT	2004/05/21 21:10
23	40	NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video) WITH (control\$4 OR allow\$6 OR govern\$4 OR permis\$6 OR privileg\$4 OR right\$1 OR rul\$3 OR use\$1 OR usage\$1)) SAME (insurance) (((secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected)	USPAT	2004/05/21 21:11
24	604	NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video) WITH (control\$4 OR allow\$6 OR govern\$4 OR permis\$6 OR privileg\$4 OR right\$1 OR rul\$3 OR use\$1 OR usage\$1)) AND (insurance) (((secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected)	USPAT	2004/05/21 21:12
25	122	NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video) SAME ((verif\$6 OR check\$4 OR author\$6 OR specif\$4 OR confirm\$6) WITH (transmi\$6 OR rout\$4 OR send\$4 OR forward\$4 OR recipient\$1 OR address\$2 OR client\$1 OR host\$1) WITH (certificate\$1))	USPAT	2004/05/21 21:41

26	51	<p>((decur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected)</p> <p>NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video)) SAME ((verif\$6 OR check\$4 OR author\$6 OR specif\$4 OR confirm\$6)</p> <p>WITH</p> <p>(transmi\$6 OR rout\$4 OR send\$4 OR forward\$4 OR recipient\$1 OR address\$2 OR client\$1 OR host\$1)</p> <p>WITH</p> <p>(certificate\$1))) AND</p> <p>((certificate\$1 WITH (revo\$6 OR expir\$6)) OR CRL\$1)</p>	USPAT	2004/05/21 21:42
----	----	--	-------	---------------------